

L Number	Hits	Search Text	DB	Time stamp
1	2968111	detect\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:35
2	462283	data near4 transmi\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:37
3	3968	sampling with (data near4 transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:33
5	4266	bit adj2 interval\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:38
6	8	(sampling with (data near4 transmi\$6)) with (bit adj2 interval\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:00
7	7	detect\$6 and ((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:58
8	192868	security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:58
9	1	((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$)) and security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:58
10	42	marginal\$4 adj2 recover\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 16:59
11	1	(marginal\$4 adj2 recover\$6) and ((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:04

12	121	pre-sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:04
13	165	pre adj1 sample	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:04
14	165	pre-sample or (pre adj1 sample)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:05
15	43	marginal\$4 adj (recover\$6 or distort\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:08
16	1	((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$)) and (pre-sample or (pre adj1 sample))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:08
17	1	((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$)) and (marginal\$4 adj (recover\$6 or distort\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:09
18	9	(sampling with (data near4 transmi\$6)) same detect\$6 same (bit adj2 interval\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:10
19	4	((sampling with (data near4 transmi\$6)) same detect\$6 same (bit adj2 interval\$)) not ((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:17
20	0	((sampling with (data near4 transmi\$6)) same detect\$6 same (bit adj2 interval\$)) not ((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$))) and (pre-sample or (pre adj1 sample))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:17
21	0	((sampling with (data near4 transmi\$6)) same detect\$6 same (bit adj2 interval\$)) not ((sampling with (data near4 transmi\$6)) with (bit adj2 interval\$))) and (marginal\$4 adj (recover\$6 or distort\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:18

22	458	poll\$4 adj loop	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:19
23	1	(marginal\$4 adj (recover\$6 or distort\$4)) and (poll\$4 adj loop) and (sampling with (data near4 transmi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:19
24	2	(marginal\$4 adj (recover\$6 or distort\$4)) and (poll\$4 adj loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:20
25	3	detect\$6 same correct\$6 same marginal\$6 with (data near4 transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:22
26	9	detect\$6 same correct\$6 same marginal\$6 same (data near4 transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:32
27	9796	sampl\$6 with (data near4 transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:35
28	852	(adjust\$6 or fix\$6 or chang\$6 or lower\$4 or higher\$4 or mov\$6) adj4 baud adj4 rate\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:38
29	5	(sampl\$6 with (data near4 transmi\$6)) with ((adjust\$6 or fix\$6 or chang\$6 or lower\$4 or higher\$4 or mov\$6) adj4 baud adj4 rate\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:43
30	0	((sampl\$6 with (data near4 transmi\$6)) with ((adjust\$6 or fix\$6 or chang\$6 or lower\$4 or higher\$4 or mov\$6) adj4 baud adj4 rate\$)) and security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:43
31	1	((sampl\$6 with (data near4 transmi\$6)) with ((adjust\$6 or fix\$6 or chang\$6 or lower\$4 or higher\$4 or mov\$6) adj4 baud adj4 rate\$)) and (bit adj2 interval\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:45

32	5	((sampl\$6 with (data near4 transmi\$6)) with ((adjust\$6 or fix\$6 or chang\$6 or lower\$4 or higher\$4 or mov\$6) adj4 baud adj4 rate\$)) and (data near4 transmi\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:43
33	23	(sampl\$6 with (data near4 transmi\$6)) same security	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:45
34	2	((sampl\$6 with (data near4 transmi\$6)) same security) and (bit adj2 interval\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:46
36	224610	(predetermin\$6 or predefin\$6 or preset\$6 or preassign\$6) adj1 time	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:48
37	1	((sampl\$6 with (data near4 transmi\$6)) same security) same ((predetermin\$6 or predefin\$6 or preset\$6 or preassign\$6) adj1 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:48
38	11	((sampl\$6 with (data near4 transmi\$6)) same security) and ((predetermin\$6 or predefin\$6 or preset\$6 or preassign\$6) adj1 time)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:54
39	12	((sampl\$6 with (data near4 transmi\$6)) same security) not (((sampl\$6 with (data near4 transmi\$6)) same security) and ((predetermin\$6 or predefin\$6 or preset\$6 or preassign\$6) adj1 time))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/06 17:54